ASSIGNED

AMENDED

Nº 31281

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office		APR 5	1	1977	
	urned to applicant for correction	MAY 2 0 1917 May 11, 1964 under 21858 S. Franklin. Sox No. Of Alamo City or Town In, hereby make application for permission to appropriate the public ereinafter stated. (If applicant is a corporation, give date and place of incorporation, give names of members.). Propriation is. Underground Name of stream, lake or other source. Trigation & Domestic Irrigation, power, mining, manufacturing, domestic, or other use. acres to be irrigated). 280. a.c., acres to be irrigated). 280. a.c., acres to be irrigated). Alamo City or Town City or Town City or Town City or Town Alamo City or Town City or Town Alamo City or Town City or Town City or Town Alamo City or Town City or To			
	rected application filed	MAV o			
			196	4 under 21858	
•					
	The applicant James Fra	nklin	••		
	P.O. BOX 203 Street and No. or P.O. Box No.		., of	Alamo City or Town	
	Nevada 89001 State and Zip Code No.	, hereby r	nake	application for permission to appropriate the public	
wate		er stated. (If a	pplic	ant is a corporation, give date and place of incorpora-	
tion	; if a copartnership or association, give i	names of mem	bers	.)	
·					
	The second of the second secon				
1.	The source of the proposed appropriati	ion is	unc	Name of stream, lake or other source.	
				•	
2.	The amount of water applied for is	······)ne se	cond-foot equals 448.83 gals. per min.	
	-				
3.	The water to be used for Irrig	ration & lation & lation,	DON power	estic, manufacturing, domestic, or other use.	
	If use is for:				
	(a) Irrigation (state number of acres to be irrigated) 280 ac.				
	(b) Stockwater (state number and kinds of animals to be watered)				
	(c) Other use (describe fully under "No. 12, Remarks")				
	(d) Power:				
	(1) Horsepower developed				
	(2) Point of return of water to stream				
5.	The water is to be diverted from its source at the following point: at a point in the SE of the				
6	it should be stated. Place of use T.3S., R.55E	. Sec. i	35,	SEN. SI NEW SEN SW	
٠.	Desc	cribe by legal subdi	vision,	if on unsurveyed land it should be so stated.	
7.				out	
8.		_		NRS 535.010 you may be required to submit plans and	
	specifications of your diversion or stor	rage works.)	.We	11, Pump, motor & ditches	
	State manner in which water is to be diverted	d, whether by dam	or otl	ner works, whether through pipes, ditches, flumes, or other conduits.	
	***************************************	~~~			

10. Estimated time required to complete the application to beneficial use	
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or consumptive use. Use map filed under 21858 Applicant s/ James Franklin By S/ James Franklin Compared 1p/ga dc/lp APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
Compared lp/ga dc/lp APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
Applicant s/ James Franklin By S/ James Franklin Compared 1p/ga dc/lp APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	annual
Applicant s/ James Franklin By S/ James Franklin Compared 1p/ga dc/lp APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
Applicant s/ James Franklin By S/ James Franklin APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	***********
By	
By	
By	
APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	,
APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject following limitations and conditions: This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	to the
is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
static water level at permittee's well due to other ground water development in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
in the area. A substantial weir or other type of measuring device must be installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
installed and measurements of water use kept. The well shall be equipped with 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	
must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times.	ı a
right to regulate the use of the water herein granted at any and all times.	
\cdot	
The second of mater to be appropriated shall be limited to the amount which can be applied to beneficial to	se end
The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial u	
not to exceed 4.73 cubic feet per second, but not to exceed a year	
duty of 5.0 acre-feet per acre of land irrigated from any and/or all sources.	
Actual construction work shall begin on or before May 16, 1978	
Proof of commencement of work shall be filed before	
Work must be prosecuted with reasonable diligence and be completed on or before May 16, 1979	
Proof of completion of work shall be filed before	
Application of water to beneficial use shall be made on or before	
Proof of the application of water to beneficial use shall be filed on or beforeJune 16, 1982	
Map in support of proof of beneficial use shall be filed on or before June 16, 1982	
10.14	
Commencement of work filed IN TESTIMONY WHEREOF, I	
Completion of work filed. Proof of beneficial use filed. AUG 2 6 1983 Cultural map filed. AUG 2 6 1983 Cultural map filed. AUG 2 6 1983 Total Engineer of Nevada, have hereunto set my hand and the my office, this light day of my office, this day of	
Cultural map filed AUG 2 6 1903 Certificate No. 10867 Issued JAN 1 8 1986 A.D. 19 77	
Recorded Bk Page A.D. 19 Wester	
County Recorder State Engin	